



CRYSTAL TOURNIKET.

THE **ALL-GLASS** REVOLVING DOOR



OVERVIEW

At first glance, the Crystal Tourniket is an eye-catching masterpiece that demands attention. Its sleek and modern design, coupled with its all-glass construction, is a true testament to the phrase "less is more."

This revolving door is the perfect addition to any building that wishes to make a bold statement while providing a welcoming entrance for guests.

STYLISH TRANSPARENT DESIGN

The Crystal Tourniket is designed with beauty and functionality in mind. Its all-glass construction creates an uninterrupted view, allowing guests to feel welcomed and at ease before they even step foot into the building. The door's circular design adds to its visual appeal and makes it stand out from traditional doors.

This statement door is customisable to fit the specific needs of any building. It can be designed with various glass options, including tinted or frosted glass, to suit the aesthetic of the building. The door's diameter can be adjusted to accommodate the building's foot traffic, making it an efficient and practical choice.

The Crystal Tourniket comes in three-wing and four-wing versions. The three-wing version provides a spacious compartment for added comfort, while the four-wing version offers a wider day opening and efficient passage in two directions simultaneously.

SAFETY AND SECURITY

The Crystal Tourniket is not just visually stunning; it also prioritises safety and security. Safety sensors in the door wings and frame minimise impacts, ensuring user protection.

We offer the following additional safety measures:

- BoonAssist: PPS - a control system that helps the user during pushing (power assisted), positions automatically to the rest position (positioning), and limits the speed during pushing (speed control).
- Accessibility buttons
- Contrasting stickers with safety icons on the door wings and curved walls
- Sensors with laser technology
- Block detection
- Emergency stop and / or open buttons

The front entrance to a public building, such as a hotel, office building, residential building, or municipal building, should also include security options. Whether an uninvited visitor is outside the door or the facility manager is locking up for the night, revolving door security options allow for an added layer of protection.

We offer the following additional security measures:

- Manual locking
- Manual external shield doors (night locking)
- Security lockdown for immediate action
- Access control options (semi-secured passage)

KEY FEATURES

- 3 or 4-wing configuration
- Rigid doorset
- Manual, semi-automatic or fully automatic operation
- Tailored selection of dimensions
- BoonAssist: Low energy assisting and positioning
- Transparent design

KEY BENEFITS

- Handles low to moderate throughput
- Minimal profile size creates a weightless impression
- Automatic operation for touchless entry
- Sustainable and energy-saving
- Draft-free entrance (Reduced air infiltration)
- Good ROI

SUGGESTED SEGMENTS

- Corporate
- Governmental
- Retail
- Restaurants and hospitality
- Hotels



A SUSTAINABLE SOLUTION

Revolving doors are energy-efficient, separating conditioned inside air from outside air to prevent draughts, dust, and noise. This reduces energy consumption, costs, and carbon footprint.

At Boon Edam, we are proud of what we have achieved over the past 150 years. We strongly believe in building a sustainable future and preserving the earth for future generations. We constantly strive to improve our manufacturing processes and use recycled or recyclable materials wherever possible - this is part of our DNA. Production with minimal impact on the environment is a priority for us. For example, we have reduced the percentage of raw materials to lighten our carbon footprint. More detailed information on each of our products can be used for LEED certification processes - speak to your entry expert for the full story.


ENERGY SAVING CALCULATOR

In general terms, air flows in and out of a building because of differences in air pressure and humidity in what is known as the stack effect. In the winter, heated air rises toward the top of a building, and as long as there are any openings on the ground floor, cold air rushes in to replace the heated air. The opposite happens in the summer, with the cold air flowing out the front doors. In addition, air flows through the building when doors, vents or windows are open; this is known as a wind tunnel effect. Regular foot traffic through ordinary doors can result in massive air leaks, requiring more energy to maintain the interior climate.

Working closely with the University of Delft, one of the leading technical universities in the Netherlands, Boon Edam has developed software that is able to use building-specific data to determine the energy saved by revolving doors compared to swinging or sliding doors.




WORKING PRINCIPLE - REVOLVING MODE



A: Four-wing power-assisted rigid model | B: Four-wing automatic rigid model

DIMENSIONS

From door diameter to height and various physical measurements, we fine-tune every detail to create your desired look that complements the surrounding building elements and location. Achieve a fluid and harmonious aesthetic that is uniquely yours.



A Internal Diameter (mm)	No. of Door Wings	Max Persons per Segment	Theoretical Capacity / Minute*	User Type		B Overall Width** (mm)	C Throat Opening (mm)	D Height Under Soffit (mm)	E Soffit Height (mm)
1600	3	1	2x22			1650	719	2100-3000	18
1600	4	1	2x26			1650	1069	2100-3000	18
1800	3	1	2x22			1850	819	2100-3000	18
1800	4	1	2x26			1850	1211	2100-3000	18
2000	3	1	2x22			2050	919	2100-3000	18
2000	4	1	2x26			2050	1352	2100-3000	18
2200	3	1	2x20			2250	1019	2100-3000	18
2200	4	1	2x26			2250	1494	2100-3000	18
2400	3	1	2x18			2450	1119	2100-3000	18
2400	4	1	2x24			2450	1635	2100-3000	18
2600	3	2	2x33			2650	1219	2100-3000	18
2600	4	1	2x22			2650	1777	2100-3000	18
2800	3	2	2x31			2850	1319	2100-3000	18
2800	4	1	2x20			2850	1918	2100-3000	18
3000	3	2	2x29			3050	1419	2100-3000	18
3000	4	2	2x38			3050	2060	2100-3000	18

* Capacity figures are theoretical and based on the max. number of persons per segment in a continuous flow

** Excluding side junctions

SO MUCH MORE

The Crystal Tourniket offers many ways to be fine-tuned to ideally fit your project. The above table is merely an overview of what is possible with this flexible high capacity revolving door. Please speak to your local entry expert to find out more about putting your stamp on your Crystal Tourniket.



The design of a building's entrance is crucial in creating a memorable first impression. At Boon Edam, we collaborate with architects and contractors to help them make optimal choices that align with each project's unique specifications. With the Crystal Tourniket revolving door, you can customise your entrance to fit your specific goals.

PUT YOUR STAMP ON IT

The Crystal Tourniket can be finished in completely clear glass, but coloured glass is also available. With a variety of options available, we can work with you to ensure the Crystal Tourniket all-glass revolving door meets all your requirements. Choose three or four-door wings depending on the number of visitors you expect on a daily basis and whether they bring a briefcase or large luggage.

Our standard specified products come in different heights, widths, canopy heights, and clear passage heights, providing flexibility to meet diverse design, safety and security needs. If your requirements extend beyond the available options, our experienced sales managers and engineers will collaborate with you to create a safe and sustainable entrance just for you.

NOTE: Several option combinations can impact the throughput capabilities and integration with the building's structure. Therefore, we recommend that you discuss your needs with a Boon Edam entry expert.

You can select options in any of these areas:



THROUGHPUT



SECURITY



SAFETY



TECHNOLOGY



COMFORT



AESTHETICS



SERVICE



THROUGHPUT

- Diameter (mm)
- Number of doors wings
- Manual / semi-automatic / automatic



SAFETY

- BoonAssist
- Fire alarm connection
- Additional emergency stop button
- Emergency open button
- Accessibility button (push-to-slow button or barrier-free)
- Contrasting stickers on curved walls



AESTHETICS

- Material / finish (Glass and stainless steel)
- Coating / surface treatment (powder coating, Analok or anodised)
- Glass decals and / or branding
- Height under soffit (mm)
- Position (mid-post / interior)



SECURITY

- Security lockdown
- Semi-secured passage with access control



TECHNOLOGY

- External control panel
- Array of configurable I/O contacts for BMS integration



COMFORT

- BoonAssist
- Drive unit with push and go or sensor activation
- OmniVent V air curtain available
- Floor mat
- Matwell trim



SERVICE AND MAINTENANCE

- Service agreements and maintenance
- Technical support and parts
- Retrofit and upgrades to existing revolving doors
- Operational training



SERVICE AND MAINTENANCE

With millions of visitors passing through an entry every day, continued and reliable operation is vital. Regular service and maintenance can prevent unexpected hardware breakdowns. Our service and maintenance teams across the world are experienced in the effects the local conditions have on the wear and tear of your entry solutions and can offer specialised service and maintenance contracts that correspond to those conditions perfectly.

By employing our own fully trained and dedicated service maintenance experts, we continuously invest in our in-house technicians and engineers. This ensures that you receive the best possible service, with minimal product downtimes and of course, a maintained high-quality entrance investment.

RETROFITS AND UPGRADES

While we are fully confident in the longevity of all our products, we also understand that your own wants and needs can change over time. Between newer technologies, the need to adhere to new rules and regulations, or even just to give your building a new lease of life, we understand that it's important to have the flexibility and resources available to ensure your building's entrances always meet not only your needs but your staff and visitors needs too.

That is why we are proud to offer a range of upgrade and retrofit services, all designed to keep your entrance up to date and equipped to tackle the everyday.

COMPLIANCE

Boon Edam entrances are trusted solutions that allow organisations to meet compliance regulations related to restricting access to areas within a building. We take compliance and safety very seriously and ensure that our products are manufactured, installed and maintained to keep up with the strict criteria required in all our countries. We are always improving and committed to making sure our products are compliant and certified.

The Crystal Tourniket complies with the following European standards:

- Machine Directive 2006/42/EC
- EMC Directive 2014/30/EC
- RoHS Directive 2011/65/EU
- EN16005 - Safety in use for power pedestrian doors



OUR REACH IS GLOBAL.

We have been in business for over 150 years manufacturing premium aesthetic and security entrance solutions in the Netherlands, United States of America and China. We can confidently say that we cover every corner of the globe with subsidiary companies in major cities across the globe. Furthermore our global export division not only partner with our distributors, but also offer direct sales and service to every territory. This wide net allows us to have a strong global footprint as well as a personal grasp of local markets and their unique entry requirements.

To find your nearest Boon Edam expert, please go to:
www.boonedam.co.uk/contact



Boon Edam Limited
T +44 (0) 1233 505 900
E uk.contact@boonedam.com
I www.boonedam.co.uk

V5-1224


BOON EDAM
YOUR **ENTRY** EXPERTS.